



MST
MAX SPEED TECHNOLOGY



RMX4 RTR

1/10 SCALE RC RWD HIGH PERFORMANCE DRIFT CAR



EXPLODED MANUAL

ON ROAD USE ONLY


SCALE: 1/10 RWD Drift Car
ADJUSTABLE WHEELBASE: 257 / 266 / 275mm
(adjustable +3mm / -1mm)
HEX-TO-HEX WIDTH: Front 182mm / Rear 172mm
DRIVE MODE: RWD (MR)
CASTER ANGLE: Adjustable between 5.5° / 7°
CAMBER ANGLE: Front 9.1° / Rear 2°
FULL BALL BEARINGS HYDRAULIC DAMPER SET



ASSEMBLY KIT

www.rc-mst.com

* SPECIFICATION ARE SUBJECT TO CHANGE WITHOUT NOTICE



RMX4 RTR

1/10 SCALE RC RWD HIGH PERFORMANCE DRIFT CAR

Appreciate for your choice of **RMX 4 RTR** ! You will be impressed with its performance and beauty.

Please prepare additional parts as car battery, transmitter battery, and charger.

Please follow the process for assemble and setting of parts package.

If you have doubt or need assistance, please contact the purchased shop or hobby shop for help, many thanks !



首先感謝你購入 **RMX 4 RTR** 這項產品，您將擁有一部兼具性能與美型的甩尾車。

在首次操作前，有以下幾項須要另行購置的物件；車用電池、遙控器用電池、充電器。

備妥上述物件後，請進行零件包安裝與設定。

如需其他協助，請向原購買店家，或遙控模型店詢問！謝謝！

PLEASE FOLLOW BELOW OPERATIONS BEFORE ASSEMBLING THE PARTS PACKAGE.

請於安裝零件包之前,執行以下操作

PLEASE FOLLOW THE STEPS WHEN STARTING UP.

開機請遵循以下步驟



- 1 Install transmitter batteries.
 - 2 Loosen receiver antenna.
 - 3 Connector ESC and battery.
 - 4 Turn on the remote controller.
 - 5 Turn on the ESC.
 - 6 Hold the car 3 seconds to wait for the MGX GYRO indicator light to flash from red to green to complete the gyro boot process.
- 1 安裝遙控器電池
 - 2 鬆開接收機天線
 - 3 聯結車用電池與電子變速器
 - 4 打開遙控器開關
 - 5 打開ESC開關
 - 6 靜置3秒等待MGX GYRO指示燈從紅燈快閃轉為綠燈，即完成陀螺儀開機程序

※ Please play this product in opening safe area.
請於空曠或安全無虞的場所，使用本項產品。

※ The default setting had been completed.
出廠時，基本設定已設定完成。


※ RMX 4 RTR electronics (Transceiver set/ESC/Gyro) are set by factory and can be directly used after attaching battery.
Please refer to instructions for adjusting.

RMX 4 RTR 之電子設備（遙控器組/電子變速器/陀螺儀）已經過原廠設定，玩家可於安裝電池後立即使用；如需依個人習慣調整時，再翻閱說明書。


Gyro sensitivity adjustment way
陀螺儀感度調整方向

※ Reduce resistance of LIMIT GAIN if the front-wheel wobbly easily on the high grabbing force field.
場地抓地力好導致前輪容易搖擺抖動，可在LIMIT GAIN逆時針微調降低感度。


※ Fine-tuning clockwise LIMIT GAIN sensitivity to improve car spinning on the poor grabbing force site.
場地抓地力差容易過甩SPIN，可在LIMIT GAIN順時針微調提升感度。



※ Please refer to transmitter & receiver performance instructions.
遙控器&接收機功能說明請參閱詳細說明書。




※ Please refer to ESC performance instructions.
電子變速器功能說明請參閱詳細說明書。



※ Please refer to MGX GYRO performance instructions.
陀螺儀功能說明請參閱詳細說明書。

FACTORY ELECTRONIC SETTING


原廠電裝配線圖



GY01 V3

RMX 4 RTR 4

STEP 1 Attaching Battery 安裝電池




※ The assembly and conservation method may be different by specification of battery.

電池的安裝方式會因為廠牌規格而有些微差異，電池的使用方式與保存方式，也會因電池的種類而有所不同。

※ The short battery within L96×W47×H25.5mm is recommended for better performance.

建議安裝 長96×寬47×高25.5mm尺寸以內之短型電池，以獲得更出色的性能。




※ Please play in safe place after all setting finish.
Before playing, please switch on transmitter then on the car.
Please switch off reversely.

安裝設定完成後，請於安全場所使用本產品！
使用前請先開啟遙控器電源後再開啟車體電源！
使用後請反向操作關閉！


STEP 2 Attaching Body Mount 車殼浮動架安裝


※ Adjust the body mount highness according to the body shell.
依照車殼調整浮動架高度。

※ 820141 Stealth magnetic body post set is recommended to be instead of drilling 5.5mm car shell holes for the car body aesthetics.



820141
Stealth magnetic body post set





※ The original front ride height of 9mm is set for the factory Ackermann configuration.
Please double-check before heading to the track to ensure it matches the factory specification.
If it is too high or too low, adjust the height using the spring retainer.
前車高9mm為原廠設定阿克曼所需高度。
下場前請再次確認是否為原廠數值，如太高或太低，請在避震器調整環調整高低。

GEAR RATIO (For 80T Spur Gear)														
Pinion gear teeth	22T	23T	24T	25T	26T	27T	28T	29T	30T	31T	32T	33T	34T	35T
60T/20T <3.00>	10.91	10.43	10.00	9.60	9.23	8.89	8.57	8.28	8.00	7.74	7.50	7.27	7.06	6.86




※ Adjust for proper space.
請調整適當齒隙。


* FORMULA 計算公式

$$\left(\frac{\text{Spur gear teeth 80T 大直齒}}{\text{Pinion gear teeth 馬達齒}} \times \frac{\text{Differential gear 60T 差速齒}}{\text{Main shaft gear 20T 主軸齒}} \right) = \text{Gear ratio 終傳比}$$




依底盤所選擇軸距配合安裝







Mode 1





Mode 2




Mode 3




Mode 4






Steering




Caster

7°



Caster

5.5°




FRONT

Tire: _____

Wheel: _____

Offset: _____




REAR

Tire: _____


Wheel: _____

Offset: _____

Front upright



Front wheel hubs




Front suspension

Camber: 9.1°

Final ride height after installing electronics and bodyshell:
Front 9 mm / Rear 5 mm.

Ride height: 9 mm ↑ GROUND




Rear suspension


Camber: 2°
Toe-in: 1°

Final ride height after installing electronics and bodyshell:
Front 9 mm / Rear 5 mm.


GROUND ↑ Ride height: 5 mm




Rear upright



Front Suspension mount Rollcenter



Rear diff




☐ Gear diff.
Diff oil #3000


☒ Spool.

Spur Gear ÷ Pinion Gear × Reduction Gear = Gear ratio
80 T ÷ 26 T × 3 = 9.23
Motor & ESC: _____ Battery: _____
Transceiver: _____ Gyro: _____ Sensitivity: _____

Rear Suspension mount Rollcenter




Front damper



Shock oil: #15
Spring: 24 mm Ø 1.5
Spring color: Yellow
Piston: Ø 1.2 mm
Piston hole: 3










Rear damper



Shock oil: #15
Spring: 26 mm Ø 1.5
Spring color: Silver-Yellow
Piston: Ø 1.2 mm
Piston hole: 3


PARTS

Color 顏色	Remark 標示
Red 紅 / BACK 黑	R / BK



	M2×3 screw ×4 110082 圓頭螺絲		M3×2.6 screw ×2 110060 止付螺絲		4.8×4.5 Ball connector s ×1 210433 球頭螺絲		3×6×0.5 Spacer ×8 110047 墊片		4×6×0.3 Spacer ×4 820017 墊片
	M2×4 screw ×4 110004 圓頭螺絲		M3×3 screw ×3 110035 止付螺絲		4.8×4.5 Ball connector ×9 310001 球頭螺絲		Wheel nut m4 ×4 820074 輪框螺帽		5X7X0.1 Spacer ×2 820018 墊片
	M3×8 screw ×4 110120 半圓頭螺絲(墊片)		M3×4 screw ×1 110083 止付螺絲		4.8×6 Ball connector ×4 310050 內六角球頭		MST 48P Pinion 22T ×1 馬達齒 48P-22T 148022P		5×7×0.3 Spacer ×2 820020 墊片
	M2×8 screw ×4 110045 圓頭螺絲(半牙)		M3×10 screw ×2 110032 止付螺絲		4.8×6 Ball connector L ×4 310129 球頭螺絲(長)				
	M3×5 screw ×2 110049 圓頭螺絲		M3×12 screw ×2 110056 止付螺絲				Cross joint ×2 連接軸 820030		3×7×3 Bearing ×4 120027 軸承
	M3×6 screw ×3 110001 圓頭螺絲		M3×25 screw ×4 110008 止付螺絲		2×9.8 Shaft ×5 110017 插銷		R-clip 5.0 ×6 R-銷 5.0 820075		4×8×3 Ball bearing ×2 120013 培林
	M3×8 screw ×22 110002 圓頭螺絲		M3×6 screw ×4 110024 沉頭螺絲		2×9.8 Shaft ×2 110046 插銷		4×21 Shaft ×2 310119 插銷		
	M3×10 screw ×4 110026 圓頭螺絲		M3×8 screw ×38 110005 沉頭螺絲		2×22 Shaft ×2 310047 插銷				5×8 Bearing ×8 120017 軸承
	M3×12 screw ×3 110029 圓頭螺絲		M3×10 screw ×2 110052 沉頭螺絲		2.6×25 Shaft ×2 310035 插銷		Alum. main shaft 48P 20T ×1 鋁合金主齒軸 48P 20T 310132		4×10 Ball bearing ×2 120018 培林
	M3×14 screw ×5 110061 圓頭螺絲		M3×12 Screw ×4 110043 沉頭螺絲		2.5×46 Arm shaft ×4 310048 擺臂插銷				
	M3×16 screw ×2 110086 圓頭螺絲		M3×16 Screw ×4 110073 沉頭螺絲				2WD Axle ×2 二驅輪軸 820095		5×10 Ball bearing ×6 120002 培林
	M3×18 screw ×3 110087 圓頭螺絲		4.8 Ball connector ×4 210161 外六角球頭		Steel CVD great angle universal shaft 42 (40°) ×2 鋼製CVD傳動軸 42 (40°) 820004		Wheel axle ×2 萬向接杯 310065		10×15 Ball bearing ×2 120001 培林

PARTS


Color 顏色	Remark 標示
Red 紅 / BACK 黑	R / BK




Wheel hubs w/disc shape
(large) with sticker
碟型六角輪座組 (加大型) 附貼紙
230041




RMX 4 Spool unit &
servo mount ×1
RMX 4 直軸組 & 伺服機座
230185




Arm set A ×2
擺臂組
230170




Enlarged brake calipers (red)
加大剎車卡鉗 (紅)
210510CR




Idle gear set & ball diff. gear
惰輪組&滾珠差速齒
230135



DK-RWD Competition Drift
Spring (24mm) ×2 (yellow)
DK-RWD 競賽飄移車避震彈簧(24mm) (黃)
820164




DK-RWD Competition Drift
Spring (26mm) ×2 (silver-yellow)
DK-RWD 競賽飄移車避震彈簧(26mm) (銀黃)
820164



Damper cylinder ×4
避震筒身
210071



Piston rod ×4
避震軸心
310008



Cylinder cap ×4
避震器上蓋
210057




Piston ×4
避震活塞
210235



Damper adjuster ×4
避震器拉桿
820079




Rod guide cap ×4
避震器下蓋
210057



12×1 O-ring ×4
O環
130049



Damper retainer ×4
避震器彈簧座
820079



Spring retainer (red) ×4
避震器調整環 (紅)
310106R



Oil seal ×4
避震器氣室
130004




E-clip ×10
E形扣
110013




Rod guide ×4
避震器下蓋墊片
210235



Damper O-ring P3 ×4
避震器O環
130059




RMX 4 80T
Spur gear set ×1
RMX 4 80T 大齒盤總成
230189




Idle gear set & ball diff. gear ×1
惰輪組&滾珠差速齒
230135

PARTS


Color 顏色	Remark 標示
Red 紅 / BACK 黑	R / BK




FRX front head set
FRX 前擋組
230165




RMX 4 Rear damper set & gearbox connector ×1
RMX 4.0 後避震架組 & 齒箱連接架
230179




Lightweight front bumper support set
輕量化前防撞板 & 後提把組
230161




THA Rear wheel hubs ×2
THA後輪座
230153-1



ATK V3 Front wheel hubs ×1
ATK V3 前輪座組
230181




Arm set B ×1
擺臂組
230171




Servo mount ×1
伺服機座
230185




FXX Alum. steering post ×2
FXX 鋁合金轉向支柱
210345



Joint ring (2) ×1
接杯環 (2)
230190




RMX 4 Motor mount (Red) ×1
RMX 4.0 馬達座 (紅)
310131R




4.8x22 Rod ends set ×1
4.8x22 拉桿頭組
230188

PARTS


Color 顏色	Remark 標示
Red 紅 / BACK 黑	R / BK







Car body post set
車殼支柱組
210381



Quick-release battery mount
快拆式電池座組
230145




Front head set ×1
前機板組
230183



RMX 4 Rear gearbox set ×1
RMX 4.0 後齒箱組
230178




PVC Deck protective film ×2
PVC 底盤防刮貼
820152




Suspension ball & spacer set ×4
插銷球頭 & 墊片組
230159

PARTS


Color 顏色	Remark 標示
Red 紅 / BACK 黑	R / BK




RMX 4 Front lower deck × 1
RMX 4.0 前底盤
230186




RMX 4 Rear lower deck × 1
RMX 4.0 後底盤
230187




RMX 4 Turnbuckle set × 1
RMX 4.0 拉桿組
230182



Lower arm set A × 2
下擺臂座組A
230172



RMX 4 Upper deck × 1
RMX 4.0 二樓板組
230180



RMX 4 Gearbox
connctor set × 1
RMX 4.0 齒箱連接板組
230184

PARTS CODE

110001	Round head screw M3×6 (10)	110086	Round head screw M3×16 (6)	230135	Idler gear set & ball diff. gear	310005R	Rod guide cap (red) (2)
110002	Round head screw M3×8 (10)	110087	Round head screw M3×18 (6)	230145	Quick-release battery mount	310008	Piston rod (4)
110004	Round head screw M2×4 (6)	110120	Round head screw w/washer M3×8 (6)	230153-1	THA Rear wheel hubs	310035	Lower arm shaft 2.6×22&25 (each one pair)
110005	Countersunk screw M3×8 (10)	120001	Ball bearing 10×15 (4)	230159	Suspension ball & spacer set	310047	Arm shaft 2.0×22 (2)
110008	Set screw M3×25 (6)	120002	Ball bearing 5×10 (4)	230161	Front bumper support	310048	Arm shaft 2.5×46 (4)
110013	E-clip 2.0 (10)	120013	Ball bearing 4×8×3 (2)	230165	FRX front head set	310050	Ball connector 4.8×6 (5)
110017	Shaft 2×9.8 (10)	120017	Bearing 5×8 (4)	230170	Arm set A	310065	Wheel axle (2)
110024	Countersunk screw M3×6 (10)	120018	Ball bearing 4×10×4 (2)	230171	Arm set B	310106R	Spring retainer (red) (2)
110026	Round head screw M3×10 (10)	120027	Bearing 3×7×3 (4)	230172	Lower arm set A	310119	4×21 Steel center shaft (2)
110029	Round head screw M3×12 (6)	130004	Oil seal (4)	230174	Steering arm set	310129	Ball connector 4.8×6 L (4)
110032	Set screw M3×10 (6)	130006	Double sided tape(5)	230178	RMX 4 Rear gearbox set	310131R	RMX 4 Motor mount (red)
110035	Set screw M3×3 (6)	130007	Antenna pipe(2)	230179	RMX 4 Rear damper set & gearbox connector	310132	RMX 4 Alum. main shaft 48P 20T
110043	Countersunk screw M3×12 (10)	130021	Sponge 6.5×2 (10)	230180	RMX 4 Upper deck	820004	Steel CVD great angle universal shaft 42 (2)
110045	Round head screw M2×8 (partial thread) (6)	130049	O-ring 12×1 (4)	230181	ATK V3 Front wheel hubs	820017	Spacer 4×6×0.3 (8)
110046	Shaft 2×9.8 (8)	130059	Damper O-ring P3 (blue) (10)	230182	RMX 4 Turnbuckle set	820018	Spacer 5×7×0.1 (8)
110047	Spacer 3×6×0.5 (8)	148022P	MST 48P Pinion 22T	230183	Front head set	820020	Spacer 5×7×0.3 (8)
110049	Round head screw M3×5 (10)	210151	Alum. damper cylinder (4)	230184	RMX 4 Gearbox conncor set	820030	Cross joint (2)
110052	Countersunk screw M3×10 (10)	210161	Ball connector nut 4.8 (4)	230185	Servo mount	820055	Reinforced damper plastic maintenance set (4)
110056	Set screw M3×12 (6)	210235	Piston spacer set	230186	RMX 4 Front lower deck	820074	Wheel nut m4 (4)
110060	Set screw M3×2.6 (10)	210344	Ball connector nut L 4.8 (4)	230187	RMX 4 Rear lower deck	820075	R-clip 5.0 (10)
110061	Round head screw M3×14 (6)	210345	FXX Alum. steering post	230188	4.8×22 Rod ends set	820095	AKM 2WD axle (2)
110073	Countersunk screw M3×16 (6)	210381	Car body post set	230189	RM 4 80T Spur gear set	820152	PVC Deck protective film
110081	Countersunk screw M3×14 (6)	210433	Ball connector 4.8×4.5 S (5)	230190	Joint ring (2)	820164	DK-RWD Competition drift spring set (F24/R26)(6&6)
110082	Round head screw M2×3 (6)	210510CR	Enlarged brake calipers (red) (4)	310001	Ball connector 4.8×4.5 (5)		
110083	Set screw M3×4 (6)	230041	Wheel hubs w/disc shape (large)	310003R	Cylinder cap (red) (2)		

部品編號

110001	六角圓頭螺絲 M3×6	110086	六角圓頭螺絲 M3×16	230135	惰輪組&滾珠差速齒(30%)	310005R	避震器下蓋(紅)
110002	六角圓頭螺絲 M3×8	110087	六角圓頭螺絲 M3×18	230145	快拆式電池座組	310008	避震軸心 3×28 (化學鍍)
110004	六角圓頭螺絲 M2×4	110120	六角半圓頭帶墊片螺絲 M3×8	230153-1	THA後輪座	310035	插銷-2.6×25
110005	六角沉頭 M3×8	120001	培林 10×15×4	230159	插銷球頭 & 墊片組	310047	插銷 2×22
110008	六角止付螺絲 M3×25	120002	培林 5×10×4	230161	前防撞板	310048	插銷 2.5×46
110013	E扣 2.0	120013	培林 4×8×3	230165	FR 前擔組	310050	內六角公球頭 4.8×6
110017	插銷 2×9.8	120017	軸承 5×8 (4)	230170	擺臂組	310065	萬向接杯
110024	六角沉頭 M3×6	120018	培林 4×10×4	230171	擺臂組	310106R	避震器調整環 (紅)
110026	六角圓頭螺絲 M3×10	120027	軸承 3×7×3 (4)	230172	下擺臂座組A	310119	4×21 鋼製心軸
110029	六角圓頭螺絲 M3×12	130004	避震氣室	230174	轉向搖臂組	310129	內六角公球頭 4.8×6 L
110032	六角止付螺絲 M3×10	130006	EVA 雙面膠	230178	RMX 4.0 後齒箱組	310131R	RMX 4.0 馬達座 (紅)
110035	六角止付螺絲 M3×3	130007	天線管	230179	RMX 4.0 後避震架組 & 齒箱連接架	310132	RMX 4.0 鋁合金主齒軸 48P 20T (硬陽)
110043	六角沉頭 M3×12	130021	6.5×2.1泡棉	230180	RMX 4.0 二樓板組	820004	鋼製CVD傳動軸 42 (40°) (壓PIN)(鏤刻)
110045	六角圓頭螺絲 M2×8 (半牙)	130049	O-Ring 12×1	230181	ATK V3 前輪座組	820017	4×6×0.3 調整墊片
110046	插銷 2×9.8(剖槽)	130059	O環 P3 2.8×1.9 30度(白色)	230182	RMX 4.0 拉桿組	820018	5×7×0.1 調整墊片
110047	3×6×0.5 墊片	148022P	馬達齒 48P-22T	230183	前擔板組	820020	5×7×0.3 調整墊片
110049	六角圓頭螺絲 M3×5	210151	避震器筒身(硬膜)	230184	RMX 4.0 齒箱連接板組	820030	CVD連接軸
110052	六角沉頭 M3×10	210161	4.8 外六角球頭	230185	伺服機座	820055	避震膠件組
110056	六角止付螺絲 M3×12	210235	活賽墊片組	230186	RMX 4.0 前底盤	820074	凸緣螺帽 M4×5.5
110060	六角止付螺絲 M3×2.6	210344	4.8 外六角球頭 L	230187	RMX 4.0 後底盤	820075	R扣 5.0(黑)
110061	六角圓頭螺絲 M3×14	210345	轉向柱 5×16 (黑)	230188	4.8X22 拉桿頭組	820095	AKM 二驅輪軸
110073	六角沉頭 M3×16	210381	車殼支柱組	230189	RMX 4.0 80T 大齒盤總成	820152	電池防刮貼紙
110081	六角沉頭 M3×14	210433	內六角公球頭 4.8×4.5 S	230190	接杯環 (2)	820164	DK-RWD 競賽飄移車避震彈簧組 (F24/R26)(6&6)
110082	六角圓頭螺絲 M2×3	210510CR	大卡鉗組	310001	內六角公球頭 4.8×4.5		
110083	六角止付螺絲 M3×4	230041	碟盤組	310003R	避震器上蓋(紅)		

026318